

(Regulation (EC) n°1907/2006 - REACH) Date of issue: 26.05.2015 Revision date: 12.08.2022 / Version: 1.4

Seite 1 von 8 Printing date: 04.05.2023

1.1	Product identifier Product name:	Efko Artist Stone 40 FL, Base Stone FL
.2	Relevant identified uses of the substance or mixture and uses advised against:	Do not attempt to make a cast enclosing any part of the body risk of burning.
	Relevant identified uses:	Binder, mould (SU3,SU22,SU19) SCENARIO 1: MANUFACTURING AND INDUSTRIAL PROCESSING SCENARIO 2: USE AND PRODUCTS IN A NON- INDUSTRIAL SETTING
<u>SECT</u> 2.1	ION 2: Hazards identification Classification of the substance or mixtu	
	In compliance with EC regulation No. 1272/2008 and its amendments:	This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8). This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.
.2	In compliance with directives 67/548/EEC, 1999/45/EC and their amendments. Label elements:	This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on th site. This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8). This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use. In compliance with EC regulation No. 1272/2008 and its amendments.
		No labelling requirements for this mixture.
2.3	Other hazards:	The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Identification (CE) 67/548/CEE Note %	Composition:						
	Identification	· · /	67/548/CEE	Note	%		



(Regulation (EC) n°1907/2006 - REACH) Date of issue: 26.05.2015 Revision date: 12.08.2022 / Version: 1.4

INDEX: PLASTER 1	(1)	[1] 90 <= x % < 1
CAS: 7778-18-9		
EC: 231-900-3		
REACH: 1-		
2119444918-26-(0066)		
SULFATE DE		
CALCIUM CASO4 +		
0,5H2O		

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: First aid measures

		As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.
4.1	Description of first aid measures: In the event of splashes or contact with eyes:	Wash thoroughly with water for 15 minutes holding the eyelids open. If there is any redness, pain or visual impairment, consult an ophthalmologist.
	In the event of splashes or contact with skin:	Wash with soap and water.
	In the event of swallowing:	Seek medical attention, showing the label.
4.2	Most important symptoms and effects, both acute and delayed:	No specific symptoms or effects have been reported.
4.3	Indication of any immediate medical attention and special treatment needed:	None.
SECTI	ON 5: Firefighting measures	
5.1	Non-flammable. Extinguishing media: Suitable extinguishing media: Unsuitable extinguishing media:	Any means suitable for extinguishing surrounding fire. None.
5.2	Special hazards arising from the substance or mixture:	None.
5.3	Advice for firefighters:	Product itself does not burn. Special protective equipment for fire-fighters: None.
SECTI	ON 6: Accidental release measures	
6.1	Personal precautions, protective equipment and emergency procedures:	Consult the safety measures listed under headings 7 and 8.
	For first aid worker:	First aid workers will be equipped with suitable personal protective equipment (See section 8).
6.2	Environmental precautions:	Prevent any material from entering drains or waterways.
6.3	Methods and material for containment	Retrieve the product by dry mechanical means



(Regulation (EC) n°1907/2006 - REACH) Date of issue: 26.05.2015 Revision date: 12.08.2022 / Version: 1.4

			9 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100	1971 1987 1988 1988 1988 1988 1988 1988	1971 - 1989 - 1989 - 1989 - 1989 - 1989 - 1989 - 1989 - 1989 - 1989 -	1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997		
	and cleaning up:		(brush/vacuuming): do not generate dust.					
6.4	Reference to other	sections:	No data available.					
SECT	ION 7: Handling and storage							
7.1	Precautions for saf		Do not generat	Do not generate dust.				
	Fire prevention:		N/A Product its	elf does not burn.				
	Recommended equ procedures:	lipment and		For personal protection, see section 8. Observe precautions stated on label and also industrial safet regulations.				
	Prohibited equipme	ent and procedures:	N/A					
7.2	Conditions for safe any incompatibilitie	e storage, including es:	Avoid the expo	sure to moisture				
	Packaging		Store in origina	l packaging.				
7.3	Specific end use(s)	:	No data availal	ole.				
<u>SEC1</u> 8.1	7778-18-9 10 mg/m3 - Belgium (Order of 19/05/2009, 2010): CAS TWA: STEL: 7778-18-9 10 mg/m3 - France (INRS - ED984 :2012): CAS VME-ppm: VME-mg/m3:			dustrial Hygienists Definition: - Definition: -	s, Threshol Crite I Crite -	eria:		
			VLE-ppm: 10	VLE-mg/m3: -	Notes: -	TMP N°: -		
		vel (DNEL) or derived IUM CASO4 + 0,5H2						
	Final use: Exposure method: Potential health effects: DNEL: Final use: Exposure method: Potential health effects: DNEL: Exposure method:		Workers. Inhalation. Short term systemic effects. 5082 mg of substance/m3 Man exposed via the environment. Ingestion. Short term systemic effects.					
			11.4 mg/kg boo Ingestion.	dy weight/day				

1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 | 1997 |

Density:

Water solubility:

Melting point/melting range:

Decomposition point/decomposition range:

Self-ignition temperature:

in CaSO4 x $^{1\!\!/_2}$ H2O und H2O



(Regulation (EC) n°1907/2006 - REACH) Date of issue: 26.05.2015 Revision date: 12.08.2022 / Version: 1.4

Seite 4 von 8 Printing date: 04.05.2023

7 1117 1117 1117 1117 1117 1117		
	Potential health effects:	Long term systemic effects.
	DNEL:	1.52 mg/kg hody weight/day
		1.52 mg/kg body weight/day Inhalation.
	Exposure method: Potential health effects:	
	Potential health effects:	Short term systemic effects.
	DNEL:	3811 mg of substance/m3
	Exposure method:	Inhalation.
	Potential health effects:	Long term systemic effects.
	DNEL:	
	Predicted no effect concentration (PNEC):	SULFATE DE CALCIUM CASO4 + 0,5H2O (CAS: 7778-18-9)
	Environmental compartment:	Waste water treatment plant.
	PNEC:	100 mg/l
		100 mg/
8.2	Exposure controls Personal protection measures, such as Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):	personal protective equipment None
	Do not generate dust.Use personal protect Ensure that there is adequate ventilation, e	tive equipment that is clean and has been properly maintained. especially in confined areas.
	Eye protection:	Avoid contact with eyes. In case of splashing, wear protective goggles in accordance with standard EN166.
	Hand protection:	Wear suitable protective gloves in the event of prolonged or repeated skin contact.
	Body protection:	Work clothing.
	Respiratory protection:	Avoid breathing dust.
		Type of FFP mask:
		Wear a disposable half-mask dust filter in accordance with
		standard EN149.
SECT	ION 9: Physical and chemical properties	
9.1	Information on basic physical and chen	nical properties:
	General information:	Dourder
	Physical state:	Powder ntal information
	Important health, safety and environme	
	pH: Boiling point	N/A, mixed with water 7-9
	Boiling point	N/A
	Flash point (50°C):	N/A
	Vapour pressure:	N/A

600-1200.

N/A

ca. 140°C

Soluble. app. 2g/l

no self ingnition/ not explosive

(ca. 413 K)



(Regulation (EC) n°1907/2006 - REACH) Date of issue: 26.05.2015 Revision date: 12.08.2022 / Version: 1.4

1997 1997 1997 1997 1997 1997		87 68 769 68 769 769 769 769 769	ST&1 ST&4 ST&1 ST&1 ST&1 ST&1 ST&1 ST&1 ST&1 ST&1	
	in CaO und SO3 ca	a. 1000°C	(ca. 1273 K)	
9.2	Other information:	No	lata available.	
SECTI	ON 10: Stability and reactivity			
10.1	Reactivity:	No	lata available.	
10.2	Chemical stability:		mixture is stable under the recommended handling and age conditions in section 7.	
10.3	Possibility of hazardous reactions:		ng with an aqueous solution of sodium carbonate will It in the formation of carbon dioxide.	
10.4	Conditions to avoid:	Avo - for	d : mation of dusts	
10.5	Incompatible materials:	Non	e known.	
10.6	Hazardous decomposition product	s: Dec	omposition > 1000C°C : Sulfurtrioxide and Calciumoxide	
SECTI	ON 11: Toxicological information			
11.1	Information on toxicological effects Acute toxicity:		lata available. classified	
11.1.1	Substances	Not		
	Acute toxicity: SULFATE DE CALCIUM CASO4 + 0,5H2O (CAS: 7778-18-9)			
	Oral route:		0 > 1581 mg/kg cies : Rat	
	OECD Guideline 420 (Acute Oral Tox Inhalation route: LC50 > 2.61 mg/l Species: Rat OECD Guideline 403 (Acute Inhalation Skin corrosion/skin irritation: SULFATE DE CALCIUM CASO4 + 0, Corrosivity: No observed effect. Species: Rabbit OECD Guideline 404 (Acute Dermal I Species: Rabbit OECD Guideline 404 (Acute Dermal I Serious damage to eyes/eye irritati SULFATE DE CALCIUM CASO4 + 0, Species: Rabbit OECD Guideline 405 (Acute Eye Irritati Species: Rabbit	n Toxicity) 5H2O (CAS rritation / C rritation / C on: 5H2O (CAS	S: 7778-18-9) prrosion) prrosion) S: 7778-18-9)	
	OECD Guideline 405 (Acute Eye Irrita Species: Rabbit OECD Guideline 405 (Acute Eye Irrita			
	Species: Rabbit OECD Guideline 405 (Acute Eye Irrita			
	Respiratory or skin sensitisation:			



(Regulation (EC) n°1907/2006 - REACH) Date of issue: 26.05.2015 Revision date: 12.08.2022 / Version: 1.4

Seite 6 von 8 Printing date: 04.05.2023

SULFATE DE CALCIUM CASO4 + 0,5H2O (CAS: 7778-18-9) Local lymph node stimulation test : Non-Sensitiser. Species: Guinea pig OECD Guideline 406 (Skin Sensitisation) Guinea Pig Maximisation Test (GMPT) : Non-sensitiser. Species: Guinea pig OECD Guideline 406 (Skin Sensitisation) Buehler Test: Non-sensitiser. Species: Guinea pig OECD Guideline 406 (Skin Sensitisation)

Germ cell mutagenicity:

SULFATE DE CALCIUM CASO4 + 0,5H2O (CAS: 7778-18-9) No mutagenic effect. Mutagenesis (in vivo): Negative. Species: Mouse OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) Mutagenesis (in vitro): Negative.

Carcinogenicity:

SULFATE DE CALCIUM CASO4 + 0,5H2O (CAS: 7778-18-9) Carcinogenicity Test: Negative. No carcinogenic effect.

Reproductive toxicant:

SULFATE DE CALCIUM CASO4 + 0,5H2O (CAS: 7778-18-9) No toxic effect for reproduction Study on development : Species : Rat OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Mutagénèse (in vivo): Negative.

11.1.2 Mixture:

No toxicological data available for the mixture

SECTION 12: Ecological information

12.1.1 Substances

SULFATE DE CALCIUM CASO4 + 0,5H2O (CAS: 7778-18-9) Fish toxicity: LC50 > 79 mg/l Species: Others DuraHon of exposure: 96 h OECD Guideline 203 (Fish, Acute Toxicity Test) Crustacean toxicity: EC50 > 79 mg/l Species: Daphnia sp. DuraHon of exposure: 48 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) Algae toxicity: ECr50 > 79 mg/l Species: Selenastrum capricornutum DuraHon of exposure: 72 h OECD Guideline 201 (Alga, Growth Inhibition Test)

12.1.2 Mixtures:

No aquatic toxicity data available for the mixture.

12.2 Persistence and degradability

12.2.1 Substances

SULFATE DE CALCIUM CASO4 + 0,5H2O (CAS: 7778-18-9)

Seite 7 von 8

Printing date: 04.05.2023

(Regulation (EC) n°1907/2006 - REACH) Date of issue: 26.05.2015 Revision date: 12.08.2022 / Version: 1.4

Biodegradability: no degradability data is available, the substance is considered as not degrading quickly.

12.3	Bioaccumulative potential:	No data available.
12.4	Mobility in soil:	No data available.
12.5	Results of PBT and vPvB assessment:	No data available.
12.6	Other adverse:	No data available.

12.6 Other adverse:

13.1

SECTION 13: Disposal considerations

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC. Waste treatment methods

Do not pour into drains or waterways. Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals. Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s)

SECTION 14: Transport information

Exempt from transport classification and labelling. Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Classification and labelling information included in section 2: The following regulations have been used:
 - Directive 67/548/EEC and its adaptations

Directive 1999/45/EC and its adaptations:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014

Container information:

Particular provisions:

No data available. No data available.

15.2 Chemical safety assessment:

A chemical safety assessment has been carried out.

SECTION 16: Other information

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained

(Regulation (EC) n°1907/2006 - REACH) Date of issue: 26.05.2015 Revision date: 12.08.2022 / Version: 1.4



Printing date: 04.05.2023

written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments:

No labelling requirements for this mixture.

Abbreviations:

DNEL : Derived No-Effect Level PNEC : Predicted No-Effect Concentration ADR : European agreement concerning the international carriage of dangerous goods by Road. IMDG : International Maritime Dangerous Goods. IATA : International Air Transport Association. ICAO : International Civil Aviation Organisation RID : Regulations concerning the International carriage of Dangerous goods by rail.